## **TIPTON COUNTY: Key Data Points**

- The county has reported a higher percentage of low birth weight babies compared to the state overall (10 versus 7.9 respectively)
- The county observed higher percentage of pregnant women utilizing prenatal care during first trimester of pregnancy than the state of Indiana overall, 84.5% versus 80.6% respectively
- The county also has a lower percentage of unmarried parents compared to the state, 27.5% versus 37.1% respectively
- Tipton county witnessed 9 accidental deaths (3 of which were motor vehicle) 1 homicide and 1 suicidal death

**Note:** All figures relate to 2004 data from the Indiana State Department of Health, unless otherwise specified

Figure 1: Births

3								
	Total		White		Black		Other	
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
Tipton	215	12.9	213	13.0	1	26.3(U)	1	7.4(U)
County								
INDIANA	87,125	14.0	75,680	13.7	9,582	17.5	1,863	11.7

<sup>\*</sup> births per 1,000 population; U = unstable rate, based on fewer than 20 births

Figure 2: Infant Mortality

		NUMBER				RATE*		
	REPORTED		Infant Deaths	Neonatal Deaths	Post Neonatal	Infant Deaths	Neonatal Deaths	Post Neonatal
COUNTY OF RESIDENCE	RACE/ ETHNICITY	Live Births	(< 1 yr)	(< 28 days)	Deaths (28-364 days)	(< 1 yr)	(< 28 days)	Deaths (28-364 days)
TIPTON	All Races	215	3	3	0	**	**	0.0
	White	213	3	3	0	**	**	0.0
	Black	1	0	0	0	0.0	0.0	0.0
	Other	1	0	0	0	0.0	0.0	0.0
	Hispanic	4	0	0	0	0.0	0.0	0.0
INDIANA	All Races	87,125	702	472	230	8.1	5.4	2.6
	White	75,680	522	354	168	6.9	4.7	2.2
	Black	9,582	164	105	59	17.1	11.0	6.2
	Other	1,863	16	13	3	**	**	**
	Hispanic	7,237	65	50	15	9.0	6.9	**

<sup>\*</sup>rate per 1,000 live births \*\*Numerator is less than 20 and the rate is unstable

Figure 3: Outcome Indicators of Mother, by Race

		Birth W			During P			
TIPTON	Total	% Low	% Very Low	%	% PNC 1st	%	%	% Unmarried
COUNTY	Births	(< 2500 grams)	(< 1500 grams)	Preterm †	Trimester ‡	Alcohol	Smoked	Parents
All Races	200	10	2	8.5	84.5	0.5	18.5	27.5
White	199	10.1	2	8.5	84.4	0.5	18.6	27.1
Black	0	**	**	**	**	**	**	**


		Birth W	/eight	During Pr			regnancy	
	Total	% Low	% Very Low	% Preterm	% PNC 1st	%	%	% Unmarried
INDIANA	Births	(< 2500 grams)	(< 1500 grams)	t	Trimester ‡	Alcohol	Smoked	Parents
All Races	86,382	7.9	1.4	9.9	80.6	0.6	18.5	37.1
White	75,422	7.2	1.2	9.5	82.1	0.6	19.1	32.6
Black	9,288	13.3	3.3	13.3	68.2	1.1	15.2	76.3

<sup>†</sup> Preterm: less than 37 weeks gestation


Formatted: Bottom: 63 pt

Figure 4: Breastfeeding

TIPTON COUNTY	All Races	White	Black
Total Births	200	199	0
Breastfeeding on Discharge	136	136	0
% Breastfeeding on Discharge	68	68.3	



INDIANA	All Races	White	Black
Total Births	87,125	75,680	9,582
Breastfeeding on Discharge	55,556	49,825	4,269
% Breastfeeding on Discharge	63.8	65.8	44.6



<sup>‡</sup> PNC: Prenatal Care

<sup>&#</sup>x27;S' Significantly different than the state percent
'\*\*' Outcomes for this county are suppressed due to 20 or fewer total births

Figure 5: HIV/AIDS

	Total # of AIDS cases reported since 1982	Total # of HIV cases reported since 1985	
TIPTON COUNTY	5		0
INDIANA	7,989		3,945

<sup>\*</sup>numbers current through June 2006

Figure 6: Nutritional Risk Factors by Status,

Indiana WIC Clinics, Quarter Ending 09/30/2004

Local Agency: Indiana Health Centers, Inc.								
Counties Included: Howard, Cass, Grant, Hamilton, Tipton, Clinton								
	Childr	en 1-5 y	ears of Ag	e			%	
Risk						Total	within	
Factor or	White	Black	Hispanic	Asian	Other		Agency	
Status								
Overweight	112	17	71	0	4	204	4.6%	
At Risk for becoming Overweight	151	23	64	0	6	244	5.5%	
T 1 1								

Local Agency: State Wide									
Counties Included: All									
	Childr	en 1-5 y	ears of Ag	e			%		
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency		
Overweight	1,732	445	800	12	97	3,086	4.8%		
At Risk for becoming Overweight	2,023	485	639	11	124	3,282	5.1%		

	Priority Benchmarks (Tipton & Indiana)		
Ι	Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.	Tipton	Indiana
1	% of Population enrolled in Medicaid as of June 2003	8.5	12.4
2	% of Population in Food Stamps Program, 2005	5.5	9.0
P	riority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate	Tipton	Indiana
1	Av Total Infant Death Rate (1995-2004)	NS	7.9
2	Average Fetal Death Rate (1995-2004)	12.5	6.6
	Priority #2 (reduce barriers): Health Professional Shortage Areas, Percentage of women with prenatal care in first trimester	Tipton	Indiana
1	Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2005)	No Score	NA
2	% PNC 1st Trimester†, 2004	88.4	79.3
	Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning	Tipton	Indiana
1	Prevalence of Asthma in a Medicaid Cohort of Children age 0-17 years, 2003	15.2	10.4
2	%Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2005-2006	2.42	2.42
Pr	iority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking	Tipton	Indiana
1	% of mothers Smoked During Pregnancy, 2004	20.5	18.0
2	% of Adult Smoking in 2003	29.6	29.3
	Priority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).	Tipton	Indiana
1	Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2002-2004)	2	771
2	Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	623.8	1602.35
	Priority #8 (obesity): Obesity in pregnant women	Tipton	Indiana
1	Number of Obese Pregnant Women In Indiana, 2004	3	2,827
Pı	riority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates	Tipton	Indiana
1	Child deaths due to Injury 1-14yrs (2002-2004)	1	279
2	Child Abuse and Neglect per 1,000 Population under age 18, 2004	6.5	13.5
	Priority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of	Tipton	Indiana
(	Hispanic Population of any Race, LBW Disparity Ratio		
1 2		1.3	4.5

Source: Data Analysis Team, ISDH; Health Resources and Service Administration; Indiana Prevention Resource Center; Data analysis team, Office of Medicaid Policy & Planning. Notes: 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test; %EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each County.